

TGF beta Receptor III Ab

Images(2)

Cat.#: DF8749 Size:	Concn.: ~1mg/ml Source: Rabbit	Mol.Wt.: 93 kDa Clonality: Polyclonal
Application:	WB 1:1000-3000 *The optimal dilutions should be determined by the end user.	
Reactivity:	Human,Mouse,Rat	
Storage:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from date of receipt.	
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).	
Immunogen:	A synthesized peptide derived from hur corresponding to a region within C-term	•
Uniprot:	Q03167	



Western blot analysis of extracts from PC12(H2O2 treatment), using TGF beta Receptor III Ab. The lane on the left was treated with blocking peptide.

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween®20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.