

NUFIP1 Ab

Affinity Biosciences website:www.affbiotech.com order:order@affbiotech.com

Images(5)

| Cat.#: DF12302 Size: | Concn.: ~1mg/ml Source: Rabbit | Mol.Wt.: 70-75 kDa Clonality: Polyclonal |
|-------------------------|--|---|
| | | |
| Application: | WB 1:500-1:2000, IHC 1:50-1:200 *The optimal dilutions should be determined by the end user. | |
| Reactivity: | Human,Mouse,Rat | |
| Storage: | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from date of receipt. | |
| Purification: | The antiserum was purified by peptide a SulfoLink [™] Coupling Resin (Thermo F | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| Immunogen: | A synthesized peptide derived from hur region within the internal amino acids. | nan NUFIP1, corresponding to a |
| Uniprot: | Q9UHK0 | |



Western blot analysis of extracts from HeLa cells, using NUFIP1 Ab. The lane on the left was treated with blocking peptide.



DF12302 at 1/100 staining Rat brain tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary Ab at 4°C overnight. An HRP conjugated anti-Rabbit Ab was used as the secondary Ab.

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween®20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.