## IKK alpha/ beta Ab

References(2) Images(5)

Cat.#: AF6013 Concn.: ~1mg/ml Mol.Wt.: 85kDa
Size: Source: Rabbit Clonality: Polyclonal

Application: WB 1:500-1:2000, IHC 1:50-1:200, IF/ICC 1:100-1:500

\*The optimal dilutions should be determined by the end user.

Reactivity: Human, Mouse, Rat

Storage: Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02%

sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from

date of receipt.

Purification: The antiserum was purified by peptide affinity chromatography using

SulfoLink<sup>TM</sup> Coupling Resin (Thermo Fisher Scientific).

Immunogen: A synthesized peptide derived from human IKK alpha/ beta, corresponding

to a region within the internal amino acids.

Uniprot: O15111/O14920

Description: IKK-beta a kinase of the IKK family. Phosphorylates inhibitors of NF-kappa-

 $\boldsymbol{B}$  thus leading to the dissociation of the inhibitor/NF-kappa-B complex and

ultimately the degradation of the inhibitor. Preferentially found as a

heterodimer with IKK-alpha but also as an homodimer.

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween@20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.