

RelB Ab

[References\(1\)](#) [Images\(3\)](#)

Cat.#: AF6380	Concn.: ~1mg/ml	Mol.Wt.: 70kDa
Size:	Source: Rabbit	Clonality: Polyclonal
Application:	WB 1:500-1:2000, IF/ICC 1:100-1:500 *The optimal dilutions should be determined by the end user.	
Reactivity:	Human,Mouse	
Storage:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from date of receipt.	
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink™ Coupling Resin (Thermo Fisher Scientific).	
Immunogen:	A synthesized peptide derived from human RelB, corresponding to a region within C-terminal amino acids.	
Uniprot:	Q01201	
Description:	RelB a transcription factor of the nuclear factor-kappaB (NFkB) transcription complex. Stimulates promoter activity in the presence NFkB1/NFkB-p50. Plays role in regulation of apoptosis in hepatocellular carcinoma through activation of downstream target genes.	

IMPORTANT: For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween@20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.