

APOA5 Ab

[Images\(1\)](#)

Cat.#: BF0677	Concn.: ~1mg/ml	Mol.Wt.: 41kDa
Size:	Source: Mouse	Clonality: Monoclonal

Application: ELISA 1:10000, WB 1:500-1:2000, IF/ICC 1:200-1:1000
*The optimal dilutions should be determined by the end user.

Reactivity: Human

Storage: Mouse IgG1 in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from date of receipt.

Purification: Affinity-chromatography.

Immunogen: Purified recombinant fragment of human APOA5 expressed in E. Coli.

Uniprot: Q6Q788

Description: Apolipoprotein A5 (ApoA5) is fast gaining attention as a key regulator of serum triglyceride concentrations. An ApoA5 mouse knock-out model produced an approximately four fold increase in serum triglycerides, whereas a knock-in model with human ApoA5 produced 50–70% lower concentrations of mouse serum triglycerides. In addition, peroxisome proliferator-activated receptor- agonists, which are used clinically to lower serum triglyceride concentrations, cause increased ApoA5 mRNA expression. Despite these compelling molecular biology data, relatively little is known about ApoA5 protein in human serum. This antibody pair detected recombinant apoA5 protein in sandwich ELISA format and could be potential reagents for the development of clinical diagnostic kits.




Figure 1: Western blot analysis using ApoA5 mouse mAb against human serum (A) and ApoA5 recombinant protein (B).

IMPORTANT: For western blot, incubate membrane with diluted primary Ab in 5% w/v milk, 1X TBS, 0.1% Tween@20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.