## EphA4 Ab

Images(1)

Cat.#: BF0514 Concn.: ~1mg/ml Mol.Wt.: 110kDa.
Size: Source: Mouse Clonality: Monoclonal

Application: ELISA 1:10000, WB 1:500-1:2000

\*The optimal dilutions should be determined by the end user.

Reactivity: Human

Storage: Mouse IgG1 in phosphate buffered saline (without Mg2+ and Ca2+), pH

7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C.

Stable for 12 months from date of receipt.

Purification: Affinity-chromatography.

Immunogen: Purified recombinant fragment of human EphA4 expressed in E. Coli.

Uniprot: P54764

Description: EphA4: EPH receptor A4. This gene belongs to the ephrin receptor

subfamily of the protein-tyrosine kinase family. EPH and EPH-related receptors have been implicated in mediating developmental events,

particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cysrich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands.




Figure 1: Western blot analysis using EphA4 mouse mAb against truncated Trx-EphA4 recombinant protein (1) and truncated GST-EphA4(aa777-986)

recombinant protein (2).

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween@20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.