

Affinity Biosciences website:www.affbiotech.com

FGFR1 Ab

Images(1)

Mol.Wt.: 92kDa Cat.#: BF0415 Concn.: ~1mg/ml Size: Source: Mouse Clonality: Monoclonal

Application: ELISA 1:10000, WB 1:500-1:2000

*The optimal dilutions should be determined by the end user.

Reactivity: Human

Mouse IgG1 in phosphate buffered saline (without Mg2+ and Ca2+), pH Storage:

7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C.

Stable for 12 months from date of receipt.

Purification: Affinity-chromatography.

Purified recombinant fragment of human FGFR1 expressed in E. Coli. Immunogen:

Uniprot: P11362

Description: The protein encoded by this gene is a member of the fibroblast growth factor

> receptor family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member binds both acidic and

basic fibroblast growth factors and is involved in limb induction.




Figure 1: Western blot analysis using FGFR1 mouse mAb against

extracellular domain of human FGFR1 (aa22-376).

IMPORTANT: For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween®20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.