

Phospho-SIK1(T182)/SIK2(T175)/SIK3(T221) Ab

Images(4)

Cat.#: AF8185	Concn.: ~1mg/ml	Mol.Wt.: 140KD
Size:	Source: Rabbit	Clonality: Polyclonal
Application:	WB 1:1000-3000, IHC 1:50-1:200	
	*The optimal dilutions should be determined by the end user.	
Reactivity:	Human,Mouse,Rat	
Storage:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from	
	date of receipt.	-20 C. Stable for 12 months from
	r	
Purification:	The Ab is from purified rabbit serum by	affinity purification via sequential
	chromatography on phospho-peptide and	l non-phospho-peptide affinity
	columns.	
Immunogen:	A synthesized peptide derived from hum	an SIK1 around the
6	phosphorylation site of Thr182.	
Uniprot:	P57059/Q9H0K1/Q9Y2K2	



AF8185 at 1/200 staining Rat liver tissue sections by IHC-P. The tissue was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The tissue was then blocked and incubated with the Ab for 1.5 hours at 22° C. An HRP conjugated goat anti-rabbit Ab was used as the secondary Ab.

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween®20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.